ENVIRONMENTAL TOBACCO SMOKE REFERENCES: OTITIS MEDIA

Barr G (1992) Passive smoking and otitis media with effusion [letter]. *BMJ* 304(6823):382-383.

Barr GS, Coatesworth AP (1991) Passive smoking and otitis media with effusion. *BMJ* 303(6809):1032-1033.

Black N (1985) The aetiology of glue ear--A case-control study. *Int J Ped Otorhinolaryngol* 9:121-133.

Etzel RA (1987) Smoke and ear effusions [letter]. *Pediatrics* 79(2):309-311.

Green RE, Cooper NK (1991) Passive smoking and middle ear effusions in children of British servicemen in West Germany--a point prevalence survey by clinics of outpatient attendance. *J R Army Med Corps* 137(1):31-33.

Hinton A (1992) Passive smoking and otitis media with effusion [letter]. *BMJ* 304(6818):53.

Hinton AE (1989) Surgery for otitis media with effusion in children and its relationship to parental smoking. *J Laryngol Otol* 103(6):559-561.

Hinton AE, Buckley G (1988) Parental smoking and middle ear effusions in children. *J Laryngol Otol* 102(11):992-996.

Iversen M, Birch L, Lundqvist GR, Elbrond O (1985) Middle ear effusion in children and the indoor environment: An epidemiological study. *Arch Environ Health* 40:74-79.

Kallail KJ, Rainbolt HR, Bruntzel MD (1987) Passive smoking and middle ear problems in Kansas public school children. *J Commun Disord* 20(3):187-196.

Kraemer MJ, Richardson MA, Weiss NS, Furukawa CT, Shapiro GG, Pierson WE, Bierman W (1983) Risk factors for persistent middle-ear effusions: Otitis media, catarrh, cigarette smoke exposure, and atopy. *JAMA* 249:1022-1025.

Ponka A, Nurmi T, Salminen E, Nykyri E (1991) Infections and other illnesses of children in day-care centers in Helsinki. I: Incidences and effects of home and day-care center variables. *Infection* 19(4):230-236.

Pukander J, Luotonen J, Timonen M, Karma P (1985) Risk factors affecting the ocurrence of acute otitis media among 2-3-year-old urban children. *Acta Otolaryngol (Stockh)* 100:260-265.

Reed BD, Lutz LJ (1988) Household smoking exposure--association with middle ear effusions. *Fam Med* 20(6):426-430.

Richardson MA (1988) Upper airway complications of cigarette smoking. *J Allergy Clin Immunol* 81(5 Pt 2):1032-1035.

Smith JM (1990) Passive smoking and ear infection [letter]. *ASHA* 32(6-7):3.

Strachan DP, Jarvis MJ, Feyerabend C (1989) Passive smoking, salivary cotinine concentrations, and middle ear effusion in 7 year old children [see comments]. *BMJ* 298(6687):1549-1552.

2028399862

Source: https://www.industrydocuments.ucsf.edu/docs/frcl0000